





HIGHLIGHTS

- WF10x/20 mm eyepiece(s)
- · 1 W NeoLED Köhler illumination for improved image quality
- · Reversed nosepiece for 4 semi plan objectives
- · Integrated X-Y mechanical stage
- · Coaxial coarse and fine adjustments with rack stop
- · Height adjustable Abbe condenser with iris diaphragm and filter holder
- With rechargeable batteries and integrated power supply
- · Ergonomic designed stand
- · Warranty 10 years

TECHNICAL SPECIFICATIONS

EYEPIECE(S)

WF10x/20 mm Wide field

HEAD

- · Heads are 360° rotatable and secured
- Binocular and trinocular models have 30° inclined tubes, interpupillary distance is adjustable between 48 and 75 mm and equipped with a \pm 5 diopter adjustment on the left tube
- The trinocular head has a fixed light path beamsplitter (50:50) and generates an erect image





Binocular head

Trinocular head

NOSEPIECE

Reversed quadruple nosepiece on ball bearings

OBJECTIVES

- Supplied with semi plan 4x/0.10, 10x/0.25, S40x/0.65 and S100x/1.25 oil immersion objectives
- The S40x and S100x oil immersion objectives are spring loaded (to prevent damage to sample and objectives)

All optics are anti-fungus treated and anti-reflection coated for maximum light throughput

FOCUSSING

• Coaxial coarse and fine adjustments with 200 graduations Precision 2 µm per graduation, 0.4 mm per rotation



MONOCULAR MODEL BB.4200

320 (h) x 176 (w) x 227 mm (d) | 3.0 kg

BINOCULAR MODEL BB.4260

360 (h) x 176 (w) x 227 mm (d) | 4.0 kg

POLARIZATION MODEL BB.4200-P-HLED

360 (h) x 176 (w) x 227 mm (d) | 4.4 kg

- · Total travel approximately 23 mm
- Supplied with an adjustable rack stop to prevent damage to sample and objectives
- The coarse adjustment is equipped with friction control

STAGE

 $130 \times 130 \text{ mm}$ with mechanical $70 \times 28 \text{ mm}$ X-Y translation stage

CONDENSER

Height adjustable Abbe condenser N.A. 1.25 with iris diaphragm and filter holder

ILLUMINATION NeoLED



- Intensity adjustable 1 W NeoLED™ Köhler illumination system. This produces a very uniform illumination of the sample and eliminates all interferences from dust on lenses. It also ensures the highest possible contrast and the maximum achievable resolving power of the optical system (Halogen versions on request)
- · Supplied with rechargeable batteries and integrated power supply for cordless operation

PACKAGING

- Supplied with power cord, dust cover, a spare fuse, user manual and 5 ml immersion oil
- · All packed in a polystyrene box



MODELS	Binocular	Trinocular	4/10/S40/S100x oil SMP objective	S60x SMP objective*	Mechanical X-Y stage	Köhler illumination	NeoLED™
BB.4260-E	•		•	o	•	•	•
BB.4253-E		•	•	o	•	•	•

^{*} Optional





ACCESSORIES AND SPARE PARTS

AE.5572-E	EWF10x/20 mm eyepiece
-----------	-----------------------

AE.5581-E EWF10x/20 mm micrometer eyepiece with pointer AE.5580-E EWF10x/20 mm micrometer eyepiece with crosshair

AE.5579-E EWF10x/20 mm micrometer eyepiece with 10/100 micrometer

and cross hair

AE.5573-E WF15x/16 mm eyepiece

AE.5582-E WF20x/12 mm eyepiece

AE.1110 Stage micrometer 1 mm/ 100 parts

AE.5591 Semi plan objective 4x/0.10. Working distance 37.5 mm AE.5593 Semi plan objective 10x/0.25. Working distance 6.54 mm AE.5594 Semi plan objective 20x/0.40. Working distance 1.2 mm ΔF 5597 Semi plan objective S40x/0.65. Working distance 0.68 mm AE.5599 Semi plan objective S60x/0.75. Working distance 0.2 mm AE.5601 Semi plan objective S100x/1.25 oil immersion.

Working distance 0.22 mm

AE.5202 Blue filter, diameter 32 mm AE.5203 Yellow filter, diameter 32 mm AE.5204 Neutral grey filter, diameter 32 mm AE.5205 Green filter, diameter 32 mm

AE.5207 Blue filter plexiglass, diameter 32 mm

AF.5130 Universal SLR camera adapter with 2x projection

lens for 23.2 mm tubes. Need T2 adapter

T2 adapter for Nikon D digital SLR cameras AE.5025 AE.5040 T2 adapter for Canon EOS digital SLR cameras

Other T2 adapters on request

BB.4300 Aluminium case for BioBlue microscopes AE.9918 Nylon microscope bag (25 x 39 x 19 cm)

BB.9602 Analyzer in slider

AE.9991 1 W NeoLED™ replacement unit AE.5227 Glass fuses 1 A 250 V, 10 pieces

PB.5155 Microscope slides 76 x 26 mm, ground edges, 50 pieces PB.5165 Cover glasses 18 x 18 mm, thickness 0.13-0.17 mm, 100 pieces PB.5168 Cover glasses 22 x 22 mm, thickness 0.13-0.17 mm, 100 pieces

PB.5245 Lens cleaning paper, 100 sheets per pack

PB.5255 Immersion oil, n = 1.482 (25 ml) PB.5274 Isopropyl alcohol 99% (200 ml)

PB.5275 Cleaning kit: lens cleaning fluid, lint free lens tissue,

brush, air blower, cotton swabs





All information may be changed without prior notice